

BREASTFEEDING REPORT NOVEMBER 2013

AgencyName	QueryTitle	Dec-12	Jan-13	Feb-13	Mar-13	Apr-13	May-13	Jun-13	Jul-13	Aug-13	Sep-13	Oct-13	Nov-13
BROADWATER	% P contacted by BPC			0.0%		0.0%						0.0%	
BROADWATER	% women w/ > 3 actual cont w/ BPC	0.0%		0.0%	0.0%	0.0%						0.0%	
BROADWATER	% B Fully BF at 3 mos.	57.1%			20.0%		20.0%	16.7%	57.1%				
BROADWATER	% B Fully BF at 6 mos.				50.0%			20.0%		16.7%	16.7%	62.5%	
CASCADE	% P contacted by BPC	26.5%	56.4%	37.5%	27.9%	14.3%	46.9%	20.0%	36.1%	25.0%	8.8%	0.0%	3.2%
CASCADE	% women w/ > 3 actual cont w/ BPC	33.3%	41.1%	22.9%	24.1%	10.9%	25.5%	12.5%	15.7%	9.4%	6.4%	0.0%	5.4%
CASCADE	% B Fully BF at 3 mos.	34.8%	20.8%	35.0%	19.4%	26.8%	26.1%	26.2%	10.5%	18.6%	9.4%	40.0%	17.1%
CASCADE	% B Fully BF at 6 mos.	41.2%	26.5%	22.9%	31.1%	16.0%	20.0%	12.5%	21.3%	18.5%	17.5%	13.6%	10.8%
CUSTER/DEAP	% P contacted by BPC	25.0%	53.3%	50.0%	46.2%	50.0%	46.2%	42.9%	40.0%	44.4%	46.2%	90.0%	68.4%
CUSTER/DEAP	% women w/ > 3 actual cont w/ BPC	21.4%	23.8%	7.1%	33.3%	16.7%	31.6%	22.2%	16.7%	21.4%	33.3%	46.2%	15.0%
CUSTER/DEAP	% B Fully BF at 3 mos.	16.7%	11.1%	6.7%	16.7%	20.0%	10.0%	14.3%	33.3%	28.6%	30.0%	42.9%	60.0%
CUSTER/DEAP	% B Fully BF at 6 mos.	20.0%	20.0%	33.3%	16.7%	11.1%	0.0%	23.1%	13.3%	10.0%	14.3%	31.3%	35.7%
DAWSON	% P contacted by BPC												
DAWSON	% women w/ > 3 actual cont w/ BPC				0.0%	0.0%	0.0%		0.0%				
DAWSON	% B Fully BF at 3 mos.	0.0%	20.0%										
DAWSON	% B Fully BF at 6 mos.				0.0%	14.3%				20.0%			
DEER LODGE	% P contacted by BPC	0.0%	0.0%	0.0%	20.0%	16.7%	0.0%	0.0%	11.1%	14.3%	0.0%	0.0%	11.1%
DEER LODGE	% women w/ > 3 actual cont w/ BPC	0.0%	7.1%	0.0%	8.3%	28.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
DEER LODGE	% B Fully BF at 3 mos.	50.0%	37.5%	20.0%	28.6%	45.5%		25.0%	85.7%	28.6%	50.0%	33.3%	14.3%
DEER LODGE	% B Fully BF at 6 mos.	28.6%	50.0%	50.0%	46.7%	37.5%	20.0%	12.5%	36.4%		36.4%	57.1%	0.0%
FERGUS/HRDC	% P contacted by BPC	0.0%	0.0%	0.0%				0.0%	0.0%	0.0%	0.0%		
FERGUS/HRDC	% women w/ > 3 actual cont w/ BPC	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%
FERGUS/HRDC	% B Fully BF at 3 mos.	28.6%			20.0%	50.0%	50.0%		0.0%		62.5%	50.0%	16.7%
FERGUS/HRDC	% B Fully BF at 6 mos.		33.3%	50.0%	28.6%			20.0%	50.0%	37.5%		0.0%	
FLATHEAD	% P contacted by BPC	29.0%	21.1%	12.2%	10.0%	2.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
FLATHEAD	% women w/ > 3 actual cont w/ BPC	2.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
FLATHEAD	% B Fully BF at 3 mos.	30.0%	40.6%	22.2%	32.4%	21.9%	36.7%	32.5%	45.2%	32.5%	29.7%	42.3%	30.6%
FLATHEAD	% B Fully BF at 6 mos.	33.3%	28.3%	28.9%	28.9%	33.3%	13.3%	31.6%	16.2%	22.9%	23.8%	38.7%	12.5%
GALLATIN	% P contacted by BPC	39.1%	50.0%	58.3%	43.5%	77.3%	39.1%	45.8%	40.9%	42.9%	39.3%	38.5%	33.3%
GALLATIN	% women w/ > 3 actual cont w/ BPC	23.5%	19.4%	12.0%	9.4%	26.5%	16.1%	17.6%	11.8%	10.0%	13.5%	3.1%	0.0%
GALLATIN	% B Fully BF at 3 mos.	22.2%	50.0%	33.3%	56.5%	56.5%	50.0%	30.8%	51.7%	27.3%	57.1%	29.4%	35.7%
GALLATIN	% B Fully BF at 6 mos.	33.3%	33.3%	36.0%	23.8%	46.2%	23.5%	46.4%	50.0%	38.9%	22.2%	48.4%	10.0%
HILL	% P contacted by BPC	33.3%	9.1%	14.3%		37.5%	40.0%	20.0%	16.7%	0.0%	0.0%	0.0%	0.0%

Breastfeeding Report November 2013.xlsx

AgencyName	QueryTitle	Dec-12	Jan-13	Feb-13	Mar-13	Apr-13	May-13	Jun-13	Jul-13	Aug-13	Sep-13	Oct-13	Nov-13
HILL	% women w/ > 3 actual cont w/ BPC	20.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
HILL	% B Fully BF at 3 mos.	14.3%	55.6%	37.5%	25.0%	25.0%	11.1%		22.2%	16.7%	14.3%	14.3%	50.0%
HILL	% B Fully BF at 6 mos.	0.0%	10.0%		14.3%	40.0%	30.0%	20.0%	25.0%	11.1%		12.5%	25.0%
LAKE	% P contacted by BPC	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
LAKE	% women w/ > 3 actual cont w/ BPC	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	5.9%	0.0%	0.0%
LAKE	% B Fully BF at 3 mos.	16.7%	23.1%		0.0%	18.2%	20.0%	22.2%	20.0%	22.2%	25.0%	18.8%	40.0%
LAKE	% B Fully BF at 6 mos.	15.4%	31.3%	0.0%	25.0%	0.0%		9.1%	18.2%	20.0%	20.0%	0.0%	18.2%
LEWIS & CLARK	% P contacted by BPC	11.1%	16.7%	26.1%	52.4%	40.9%	5.6%	4.5%	19.0%	48.1%	66.7%	9.5%	0.0%
LEWIS & CLARK	% women w/ > 3 actual cont w/ BPC	3.4%	0.0%	10.3%	3.7%	7.4%	0.0%	0.0%	0.0%	2.8%	0.0%	0.0%	0.0%
LEWIS & CLARK	% B Fully BF at 3 mos.	21.4%	38.1%	24.1%	23.5%	40.0%	18.5%	45.5%	21.1%	10.0%	50.0%	29.6%	20.0%
LEWIS & CLARK	% B Fully BF at 6 mos.	17.9%	21.1%	46.2%	20.7%	35.0%	20.0%	16.7%	30.8%	14.8%	36.4%	13.3%	22.7%
LINCOLN	% P contacted by BPC	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
LINCOLN	% women w/ > 3 actual cont w/ BPC	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
LINCOLN	% B Fully BF at 3 mos.	33.3%	33.3%	22.2%	28.6%		0.0%	22.2%	14.3%	83.3%	50.0%	60.0%	0.0%
LINCOLN	% B Fully BF at 6 mos.	14.3%	33.3%	15.4%	22.2%	40.0%	25.0%	14.3%		0.0%	22.2%	14.3%	
MISSOULA	% P contacted by BPC	64.2%	78.3%	85.4%	81.1%	82.0%	88.2%	82.5%	79.1%	94.2%	75.0%	83.3%	81.8%
MISSOULA	% women w/ > 3 actual cont w/ BPC	42.1%	51.9%	32.0%	29.6%	28.3%	45.3%	47.8%	37.3%	52.6%	33.3%	52.5%	57.7%
MISSOULA	% B Fully BF at 3 mos.	47.5%	28.2%	58.8%	40.9%	18.2%	37.8%	35.9%	30.4%	51.9%	40.0%	40.4%	37.8%
MISSOULA	% B Fully BF at 6 mos.	32.6%	30.6%	39.1%	27.5%	20.5%	51.4%	27.7%	17.0%	33.3%	30.6%	29.2%	35.3%
RAVALLI	% P contacted by BPC	68.8%	75.0%	83.3%	81.3%	61.5%	64.3%	83.3%	83.3%	85.7%	90.9%	71.4%	
RAVALLI	% women w/ > 3 actual cont w/ BPC	42.1%	25.0%	45.5%	43.5%	43.8%	36.8%	58.8%	62.5%	66.7%	61.5%	53.3%	
RAVALLI	% B Fully BF at 3 mos.	33.3%	41.7%	37.5%	33.3%	45.5%	42.9%	42.9%	58.3%	42.9%	42.9%	58.3%	33.3%
RAVALLI	% B Fully BF at 6 mos.	12.5%	31.3%	12.5%	33.3%	41.7%	22.2%	35.7%	36.4%	42.9%	31.8%	28.6%	20.0%
SANDERS	% P contacted by BPC	0.0%	0.0%		20.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%
SANDERS	% women w/ > 3 actual cont w/ BPC	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
SANDERS	% B Fully BF at 3 mos.	40.0%		30.0%	66.7%	0.0%			28.6%	20.0%	14.3%		16.7%
SANDERS	% B Fully BF at 6 mos.	33.3%	25.0%		33.3%		10.0%	40.0%	0.0%			25.0%	20.0%
SHERIDAN	% P contacted by BPC			0.0%					0.0%		0.0%	0.0%	
SHERIDAN	% women w/ > 3 actual cont w/ BPC			0.0%		0.0%			0.0%	0.0%	0.0%	0.0%	
SHERIDAN	% B Fully BF at 3 mos.		20.0%			0.0%	0.0%		0.0%	0.0%			28.6%
SHERIDAN	% B Fully BF at 6 mos.				0.0%	0.0%	25.0%		0.0%	0.0%		0.0%	
BUTTE-SILVER BOW	% P contacted by BPC	6.3%	0.0%	0.0%	33.3%	27.3%	30.4%	11.1%	33.3%	36.4%	27.3%	42.9%	28.6%
BUTTE-SILVER BOW	% women w/ > 3 actual cont w/ BPC	0.0%	8.3%	4.5%	13.0%	4.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
BUTTE-SILVER BOW	% B Fully BF at 3 mos.	21.4%	0.0%	15.8%	11.1%	26.3%	16.7%	15.0%	12.5%	9.1%	6.3%	19.0%	30.8%

Breastfeeding Report November 2013.xlsx

AgencyName	QueryTitle	Dec-12	Jan-13	Feb-13	Mar-13	Apr-13	May-13	Jun-13	Jul-13	Aug-13	Sep-13	Oct-13	Nov-13
BUTTE-SILVER BOW	% B Fully BF at 6 mos.	14.3%	11.8%	13.3%	20.0%	0.0%	10.5%	11.8%	30.0%	11.1%	8.7%	6.3%	5.6%
TETON	% P contacted by BPC				0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
TETON	% women w/ > 3 actual cont w/ BPC	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
TETON	% B Fully BF at 3 mos.	16.7%	25.0%	27.3%		42.9%	14.3%	44.4%	14.3%	33.3%	0.0%	33.3%	20.0%
TETON	% B Fully BF at 6 mos.	30.0%	0.0%	15.4%	37.5%	16.7%	20.0%		42.9%	16.7%	44.4%	7.1%	0.0%
VALLEY	% P contacted by BPC				0.0%							0.0%	
VALLEY	% women w/ > 3 actual cont w/ BPC				0.0%	0.0%	0.0%	0.0%				0.0%	
VALLEY	% B Fully BF at 3 mos.		22.2%	16.7%	0.0%	0.0%		40.0%					
VALLEY	% B Fully BF at 6 mos.				40.0%	11.1%	14.3%		0.0%		20.0%		
RIVERSTONE	% P contacted by BPC	0.0%	0.0%	0.0%	7.1%	12.1%	6.9%	7.5%	6.5%	10.2%	0.0%	9.2%	13.3%
RIVERSTONE	% women w/ > 3 actual cont w/ BPC	1.1%	0.0%	0.0%	2.3%	2.6%	1.1%	1.3%	2.4%	5.9%	6.1%	8.8%	9.4%
RIVERSTONE	% B Fully BF at 3 mos.	24.6%	17.8%	16.7%	26.7%	22.6%	18.6%	23.6%	26.2%	23.4%	27.3%	21.0%	18.0%
RIVERSTONE	% B Fully BF at 6 mos.	24.6%	17.1%	18.6%	22.4%	18.2%	13.3%	21.8%	25.0%	17.5%	18.3%	15.0%	11.9%
FORT PECK	% P contacted by BPC	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
FORT PECK	% women w/ > 3 actual cont w/ BPC	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
FORT PECK	% B Fully BF at 3 mos.	0.0%	0.0%	10.0%	5.9%	0.0%	0.0%	0.0%	14.3%	0.0%	20.0%	5.3%	11.1%
FORT PECK	% B Fully BF at 6 mos.	18.2%	6.7%	23.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
N. CHEYENNE	% P contacted by BPC	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	6.7%		0.0%
N. CHEYENNE	% women w/ > 3 actual cont w/ BPC	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
N. CHEYENNE	% B Fully BF at 3 mos.	50.0%	20.0%	0.0%	33.3%	25.0%	16.7%	0.0%	33.3%	22.2%	22.2%	28.6%	0.0%
N. CHEYENNE	% B Fully BF at 6 mos.	9.1%	10.0%	27.3%	33.3%	20.0%	0.0%	12.5%	27.3%	40.0%	0.0%	14.3%	22.2%
BLACKFEET	% P contacted by BPC	0.0%	0.0%	0.0%	0.0%	10.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
BLACKFEET	% women w/ > 3 actual cont w/ BPC	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
BLACKFEET	% B Fully BF at 3 mos.	7.1%	16.7%	5.6%	14.3%	15.4%	28.6%	12.5%	0.0%	13.3%	20.0%	5.6%	23.1%
BLACKFEET	% B Fully BF at 6 mos.	15.4%	7.7%	15.4%	6.7%	7.1%	5.6%	25.0%	15.4%	12.5%	6.7%	10.0%	7.7%
CROW	% P contacted by BPC		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
CROW	% women w/ > 3 actual cont w/ BPC		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
CROW	% B Fully BF at 3 mos.	20.0%	38.5%	60.0%		0.0%	10.0%	20.0%	37.5%	14.3%	16.7%	7.7%	10.0%
CROW	% B Fully BF at 6 mos.	25.0%	22.2%	9.1%	13.3%	33.3%	16.7%	16.7%	0.0%	10.0%	6.3%	37.5%	14.3%
SALISH & KOOTENAI	% P contacted by BPC	14.3%	16.7%			77.8%	10.0%	45.5%		16.7%	0.0%		40.0%
SALISH & KOOTENAI	% women w/ > 3 actual cont w/ BPC	11.1%	0.0%	0.0%		7.7%	0.0%	7.7%		0.0%	0.0%	0.0%	0.0%
SALISH & KOOTENAI	% B Fully BF at 3 mos.	0.0%	0.0%	14.3%	0.0%	14.3%	0.0%		9.1%	27.3%	12.5%		
SALISH & KOOTENAI	% B Fully BF at 6 mos.	14.3%	16.7%	20.0%	0.0%	0.0%	14.3%	0.0%	0.0%	0.0%		0.0%	28.6%
FORT BELKNAP	% P contacted by BPC		0.0%			0.0%	0.0%		0.0%		0.0%	0.0%	0.0%

Breastfeeding Report November 2013.xlsx

[illegible]